


CKT SIZE	DIM A	DIM B
4	.709 (18.00)	.496 (12.60)
5	.874 (22.20)	.661 (16.80)
6	1.039 (26.40)	.827 (21.00)
7	1.205 (30.60)	.992 (25.20)
8	1.370 (34.80)	1.157 (29.40)
9	1.535 (39.00)	1.323 (33.60)
10	1.701 (43.20)	1.488 (37.80)
11	1.866 (47.40)	1.654 (42.00)
12	2.031 (51.60)	1.819 (46.20)



NOTES:
1. MATERIALS:
   HOUSING:
   "1"=NYLON 6/6, UL94 V-2, COLOR: NATURAL
   "2"=NYLON 6/6, UL94 V-0, COLOR: NATURAL
   "3"=NYLON 6/6, UL94 V-2, COLOR: BLACK
   TERMINALS:
   COPPER ALLOY
2. TERMINAL PLATING:
   "1"=.000100/(0.00254) MIN. MATTE TIN OVER .000050/(0.00127) MIN. NICKEL
   "2"=.000030/(0.00076) MIN. SELECT GOLD AND .000100/(0.00254) MIN. SELECT MATTE TIN OVER .000050/(0.00127) MIN. NICKEL OVERALL
3. PRODUCT SPECIFICATION: PS-44476-001
4. PACKAGING: SEE CHARTS
5. PART MATES WITH MINI-FIT JR. RECEPTACLE NO. 5557.
6. PART IS NOT DESIGNED FOR CURRENT SHARING.
7. PARTS ARE NOT TO BE MATED OR UN-MATED WHILE CIRCUITS ARE LIVE.
8. 44472-2470 ONLY FOR WIDER LOCKING RAMP.
9. PARTS WILL HAVE "HCS" MARKING.
10. SEE CHART FOR PARTS WITH PEGS REMOVED.
11. PART CONFORMS TO CLASS "B" REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.





RECOMMENDED HOLE LAYOUT FOR
.070/(1.78) MAX. THICK P. C. BOARD
VIEWED FROM COMPONENT SIDE

LEGEND:
44472 - ** **
CIRCUIT SIZE
(04-12 FOR SINGLE ROW)
(02-24 FOR DUAL ROW)
ASSEMBLY VERSION
(01 THRU 49 FOR SINGLE ROW)
(50 THRU 99 FOR DUAL ROW)

SEE SHT. 2 FOR DUAL ROW
* THE CHART FOR SINGLE ROW PRODUCT IS ON PAGE 6.

CHANGE PLATING
EC NO: UCP2012-1560 2012/01/05
DRWN:NNGUYEN 2012/01/05
CHK'D:JBELL 2012/02/02
APPR:FSMITH
DESCRIPTION
M
REV

QUALITY SYMBOLS
FE =0
FC =0
FP =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---
ANGULAR ±1/2°		


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 4:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION


		DATE
DRAWN BY	GEP	1994/07/25
CHECKED BY	RJF	1994/07/25
APPROVED BY	RJF	1994/07/25


TITLE: MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW
MOLEX INCORPORATED
MATERIAL NO.: SEE CHARTS
DOCUMENT NO.: SDA-44472-****
SHEET NO.: 1 OF 8
SIZE: C


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION




CIRCUIT SIZE	DIM. "A"	DIM. "B"	DIM. "C"
2	.21 (5.4)	—	.370 (9.40)
4	.38 (9.6)	.17 (4.2)	.535 (13.60)
6	.54 (13.8)	.33 (8.4)	.701 (17.80)
8	.71 (18.0)	.50 (12.6)	.866 (22.00)
10	.87 (22.2)	.66 (16.8)	1.031 (26.20)
12	1.04 (26.4)	.83 (21.0)	1.197 (30.40)
14	1.20 (30.6)	.99 (25.2)	1.362 (34.60)
16	1.37 (34.8)	1.16 (29.4)	1.528 (38.80)
18	1.54 (39.0)	1.32 (33.6)	1.693 (43.00)
20	1.70 (43.2)	1.49 (37.8)	1.858 (47.20)
22	1.87 (47.4)	1.65 (42.0)	2.024 (51.40)
24	2.03 (51.6)	1.82 (46.2)	2.189 (55.60)









RECOMMENDED HOLE LAYOUT FOR .070/(1.78) MAX. THICK P. C. BOARD

VIEWED FROM COMPONENT SIDE

SEE SHT. 1 FOR SINGLE ROW

SEE SHEET 1
EC NO: UCP2012-1560 2012/01/05
DRWN:NNGUYEN 2012/01/05
CH'KD:JBELL 2012/02/02
APPR:FSMITH
DESCRIPTION
M
REV

QUALITY SYMBOLS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 4:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY	GEP	DATE 1994/07/25
CHECKED BY	RJF	DATE 1994/07/25
APPROVED BY	RJF	DATE 1994/07/25

TITLE: MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW

MOLEX INCORPORATED

MATERIAL NO.: SEE CHARTS
DOCUMENT NO.: SDA-44472-****
SHEET NO.: 2 OF 8
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DUAL ROW PART NUMBERS WITH MATTE TIN PLATING

WITH PEGS

PLATING:	T (SEE NOTE 2)	PLATING:	T (SEE NOTE 2)
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES
PEGS:	WITH PEGS	PEGS:	WITH PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001

ITEM NO.	CKTS	ITEM NO.	CKTS
44472-0250	2	44472-0251	2
44472-0450	4	44472-0451	4
44472-0650	6	44472-0651	6
44472-0850	8	44472-0851	8
44472-1050	10	44472-1051	10
44472-1250	12	44472-1251	12
44472-1450	14	44472-1451	14
44472-1650	16	44472-1651	16
44472-1850	18	44472-1851	18
44472-2050	20	44472-2051	20
44472-2250	22	44472-2251	22
44472-2450	24	44472-2451	24

PLATING:	T (SEE NOTE 2)	PLATING:	T (SEE NOTE 2)
DRAINS:	WITH DRAIN HOLES	DRAINS:	WITH DRAIN HOLES
PEGS:	WITH PEGS	PEGS:	WITH PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001

ITEM NO.	CKTS	ITEM NO.	CKTS
44472-0252	2	44472-0253	2
44472-0452	4	44472-0453	4
44472-0652	6	44472-0653	6
44472-0852	8	44472-0853	8
44472-1052	10	44472-1053	10
44472-1252	12	44472-1253	12
44472-1452	14	44472-1453	14
44472-1652	16	44472-1653	16
44472-1852	18	44472-1853	18
44472-2052	20	44472-2053	20
44472-2252	22	44472-2253	22
44472-2452	24	44472-2453	24

WITHOUT PEGS

PLATING:	T (SEE NOTE 2)	PLATING:	T (SEE NOTE 2)
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES
PEGS:	WITHOUT PEGS	PEGS:	WITHOUT PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001

ITEM NO.	HOUSING NO.	CKTS	ITEM NO.	CKTS
44472-0254		2	44472-0255	2
44472-0454		4	44472-0455	4
44472-0654		6	44472-0655	6
44472-0854		8	44472-0855	8
44472-1054		10	44472-1055	10
44472-1254		12	44472-1255	12
44472-1454		14	44472-1455	14
44472-1654		16	44472-1655	16
44472-1854		18	44472-1855	18
44472-2054		20	44472-2055	20
44472-2254		22	44472-2255	22
44472-2454		24	44472-2455	24

PLATING:	T (SEE NOTE 2)	PLATING:	T (SEE NOTE 2)
DRAINS:	WITH DRAIN HOLES	DRAINS:	WITH DRAIN HOLES
PEGS:	WITHOUT PEGS	PEGS:	WITHOUT PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001

ITEM NO.	CKTS	ITEM NO.	CKTS
44472-0256	2	44472-0257	2
44472-0456	4	44472-0457	4
44472-0656	6	44472-0657	6
44472-0856	8	44472-0857	8
44472-1056	10	44472-1057	10
44472-1256	12	44472-1257	12
44472-1456	14	44472-1457	14
44472-1656	16	44472-1657	16
44472-1856	18	44472-1857	18
44472-2056	20	44472-2057	20
44472-2256	22	44472-2257	22
44472-2456	24	44472-2457	24

* ITEMS PRECEDED BY AN "X" ARE NOT AVAILABLE.

SEE SHEET 1
EC NO: UCP2012-1560 2012/01/05
DRWN: NNGUYEN 2012/01/05
CH'KD: JBELL
APPR: FSMITH 2012/02/02
DESCRIPTION
REV
M

QUALITY SYMBOLS
F =0
F =0
F =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 1:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY	GEP	DATE 1994/07/25
CHECKED BY	RJF	DATE 1994/07/25
APPROVED BY	RJF	DATE 1994/07/25

TITLE: MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW

molex MOLEX INCORPORATED

MATERIAL NO.: SEE CHARTS
DOCUMENT NO.: SDA-44472-****
SHEET NO.: 3 OF 8
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DUAL ROW PART NUMBERS WITH SELECT GOLD PLATING

WITH PEGS

PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITH DRAIN HOLES	DRAINS:	WITH DRAIN HOLES
PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]	MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001

	ITEM NO.	CKTS		ITEM NO.	CKTS		ITEM NO.	CKTS		ITEM NO.	CKTS
X	44472-0260	2	X	44472-0261	2		44472-0262	2	X	44472-0263	2
X	44472-0460	4	X	44472-0461	4	X	44472-0462	4	X	44472-0463	4
X	44472-0660	6	X	44472-0661	6	X	44472-0662	6	X	44472-0663	6
X	44472-0860	8	X	44472-0861	8	X	44472-0862	8	X	44472-0863	8
X	44472-1060	10	X	44472-1061	10	X	44472-1062	10	X	44472-1063	10
X	44472-1260	12	X	44472-1261	12	X	44472-1262	12	X	44472-1263	12
X	44472-1460	14	X	44472-1461	14	X	44472-1462	14	X	44472-1463	14
X	44472-1660	16	X	44472-1661	16	X	44472-1662	16	X	44472-1663	16
X	44472-1860	18	X	44472-1861	18	X	44472-1862	18	X	44472-1863	18
X	44472-2060	20	X	44472-2061	20	X	44472-2062	20	X	44472-2063	20
X	44472-2260	22	X	44472-2261	22	X	44472-2262	22	X	44472-2263	22
X	44472-2460	24		44472-2461	24	X	44472-2462	24	X	44472-2463	24

WITHOUT PEGS

PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)	PLATING:		PLATING:	2 (SEE NOTE 2)
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES	DRAINS:		DRAINS:	WITH DRAIN HOLES
PEGS:	WITHOUT PEGS	PEGS:	WITHOUT PEGS	PEGS:		PEGS:	WITHOUT PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]	MAT'L:		MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:		PACKAGING:	PK-5566-001

	ITEM NO.	CKTS		ITEM NO.	CKTS		ITEM NO.	CKTS		ITEM NO.	CKTS
X	44472-0264	2	X	44472-0265	2			2	X	44472-0267	2
X	44472-0464	4	X	44472-0465	4			4	X	44472-0467	4
X	44472-0664	6	X	44472-0665	6			6	X	44472-0667	6
X	44472-0864	8	X	44472-0865	8			8		44472-0867	8
X	44472-1064	10	X	44472-1065	10			10	X	44472-1067	10
X	44472-1264	12	X	44472-1265	12			12	X	44472-1267	12
X	44472-1464	14	X	44472-1465	14			14	X	44472-1467	14
X	44472-1664	16	X	44472-1665	16			16	X	44472-1667	16
X	44472-1864	18	X	44472-1865	18			18	X	44472-1867	18
X	44472-2064	20	X	44472-2065	20			20	X	44472-2067	20
X	44472-2264	22		44472-2265	22			22	X	44472-2267	22
X	44472-2464	24	X	44472-2465	24			24	X	44472-2467	24

* ITEMS PRECEDED BY A "X" ARE NOT AVAILABLE.

SEE SHEET 1
EC NO: UCP2012-1560 2012/01/05
DRWN:NNGUYEN 2012/01/05
CH'KD:JBELL 2012/02/02
APPR:FSMITH
DESCRIPTION
M
REV

QUALITY SYMBOLS
F =0
F =0
F =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 1:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: GEP DATE: 1994/07/25
CHECKED BY: RJF DATE: 1994/07/25
APPROVED BY: RJF DATE: 1994/07/25

TITLE: MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW

MOLEX INCORPORATED

MATERIAL NO.: SEE CHARTS
DOCUMENT NO.: SDA-44472-****
SHEET NO.: 4 OF 8
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DUAL ROW PART NUMBERS WITH WIDE LATCH OPTION

WITH PEGS			
PLATING:		I (SEE NOTE 2)	
DRAINS:		WITH DRAIN HOLES	
PEGS:		WITH PEGS	
MAT'L:		94V-2 [NATURAL]	
PACKAGING:		PK-5566-001	
	ITEM NO.		CKTS
X	44472-0270		2
X	44472-0470		4
X	44472-0670		6
X	44472-0870		8
X	44472-1070		10
X	44472-1270		12
X	44472-1470		14
X	44472-1670		16
X	44472-1870		18
X	44472-2070		20
X	44472-2270		22
	44472-2470	8	24

* ITEMS PRECEDED BY "X" ARE NOT AVAILABLE.

SEE SHEET 1
EC NO: UCP2012-1560 2012/01/05
DRWN:NNGUYEN 2012/01/05
CH'KD:JBELL 2012/02/02
APPR:FSMITH
DESCRIPTION
M
REV

QUALITY SYMBOLS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 1:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: GEP DATE: 1994/07/25
CHECKED BY: RJF DATE: 1994/07/25
APPROVED BY: RJF DATE: 1994/07/25

TITLE: MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW

MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SDA-44472-****
SHEET NO.: 5 OF 8
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SINGLE ROW PART NUMBERS WITH PEGS

MATTE TIN PLATING

PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)
DRAINS:	WITH DRAIN HOLES	DRAINS:	WITH DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES
PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]	MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-002	PACKAGING:	PK-5566-002	PACKAGING:	PK-5566-002	PACKAGING:	PK-5566-002

	ITEM NO.	CKTS		ITEM NO.	CKTS		ITEM NO.	CKTS		ITEM NO.	CKTS
	44472-0401	4	X	44472-0402	4		44472-0403	4	X	44472-0404	4
X	44472-0501	5		44472-0502	5	X	44472-0503	5		44472-0504	5
X	44472-0601	6	X	44472-0602	6	X	44472-0603	6	X	44472-0604	6
X	44472-0701	7	X	44472-0702	7	X	44472-0703	7	X	44472-0704	7
X	44472-0801	8	X	44472-0802	8	X	44472-0803	8	X	44472-0804	8
X	44472-0901	9	X	44472-0902	9	X	44472-0903	9	X	44472-0904	9
X	44472-1001	10	X	44472-1002	10	X	44472-1003	10	X	44472-1004	10
X	44472-1101	11	X	44472-1102	11	X	44472-1103	11	X	44472-1104	11
X	44472-1201	12	X	44472-1202	12	X	44472-1203	12	X	44472-1204	12

GOLD PLATING

PLATING:		PLATING:		PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)
DRAINS:		DRAINS:		DRAINS:	WITHOUT DRAIN HOLE	DRAINS:	WITHOUT DRAIN HOLES
PEGS:		PEGS:		PEGS:	WITH PEGS	PEGS:	WITH PEGS
MAT'L:		MAT'L:		MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:		PACKAGING:		PACKAGING:	PK-5566-002	PACKAGING:	PK-5566-002

ITEM NO.	CKTS		ITEM NO.	CKTS		ITEM NO.	CKTS		ITEM NO.	CKTS
	4			4	X	44472-0407	4	X	44472-0408	4
	5			5	X	44472-0507	5	X	44472-0508	5
	6			6	X	44472-0607	6	X	44472-0608	6
	7			7	X	44472-0707	7	X	44472-0708	7
	8			8	X	44472-0807	8	X	44472-0808	8
	9			9	X	44472-0907	9	X	44472-0908	9
	10			10	X	44472-1007	10	X	44472-1008	10
	11			11	X	44472-1107	11	X	44472-1108	11
	12			12	X	44472-1207	12	X	44472-1208	12

SEE SHEET 1
EC NO: UCP2012-1560 2012/01/05
DRWN:NNGUYEN 2012/01/05
CH'KD:JBELL 2012/02/02
APPR:FSMITH
DESCRIPTION
M
REV

QUALITY SYMBOLS
F1 =0
F2 =0
F3 =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 1:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: GEP DATE: 1994/07/25
CHECKED BY: RJF DATE: 1994/07/25
APPROVED BY: RJF DATE: 1994/07/25

TITLE: MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW

molex MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SDA-44472-****
SHEET NO.: 6 OF 8

SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DUAL ROW PART NUMBERS 1 PEG REMOVED

PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:		PLATING:	
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITH DRAIN HOLES	DRAINS:		DRAINS:	
PEGS:	PEG #I REMOVED	PEGS:	PEG #I REMOVED	PEGS:	PEG #I REMOVED	PEGS:	PEG #I REMOVED
MAT'L:	92V-2 (NATURAL)	MAT'L:	92V-2 (NATURAL)	MAT'L:		MAT'L:	
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:		PACKAGING:	

X	ITEM NO.		CKTS	X	ITEM NO.		CKTS	ITEM NO.		CKTS	ITEM NO.		CKTS
X	44472-0273		2	X	44472-0274		2			2			2
X	44472-0473		4	X	44472-0474		4			4			4
X	44472-0673		6	X	44472-0674		6			6			6
X	44472-0873		8	X	44472-0874		8			8			8
X	44472-1073		10	X	44472-1074		10			10			10
X	44472-1273		12	X	44472-1274		12			12			12
X	44472-1473		14	X	44472-1474		14			14			14
X	44472-1673		16	X	44472-1674		16			16			16
X	44472-1873		18	X	44472-1874		18			18			18
	44472-2073		20		44472-2074		20			20			20
X	44472-2273		22	X	44472-2274		22			22			22
X	44472-2473		24	X	44472-2474		24			24			24

PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:		PLATING:	
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITH DRAIN HOLES	DRAINS:		DRAINS:	
PEGS:	PEG #2 REMOVED	PEGS:	PEG #2 REMOVED	PEGS:	PEG #2 REMOVED	PEGS:	PEG #2 REMOVED
MAT'L:	92V-2 (NATURAL)	MAT'L:	92V-2 (NATURAL)	MAT'L:		MAT'L:	
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:		PACKAGING:	

X	ITEM NO.		CKTS	X	ITEM NO.		CKTS	ITEM NO.		CKTS	ITEM NO.		CKTS
X	44472-0277		2	X	44472-0278		2			2			2
X	44472-0477		4	X	44472-0478		4			4			4
X	44472-0677		6	X	44472-0678		6			6			6
X	44472-0877		8	X	44472-0878		8			8			8
X	44472-1077		10	X	44472-1078		10			10			10
X	44472-1277		12	X	44472-1278		12			12			12
X	44472-1477		14	X	44472-1478		14			14			14
X	44472-1677		16	X	44472-1678		16			16			16
X	44472-1877		18	X	44472-1878		18			18			18
	44472-2077		20		44472-2078		20			20			20
X	44472-2277		22	X	44472-2278		22			22			22
X	44472-2477		24	X	44472-2478		24			24			24

* ITEMS PRECEEDED BY AN "X" ARE NOT AVAILABLE

SEE SHEET 1
EC NO: UCP2012-1560 2012/01/05
DRWN:NNGUYEN 2012/01/05
CHKD:JBELL 2012/02/02
APPR:FSMITH
DESCRIPTION
REV
M

QUALITY SYMBOLS
F =0
F =0
F =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 1:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: GEP DATE: 1994/07/25
CHECKED BY: RJF DATE: 1994/07/25
APPROVED BY: RJF DATE: 1994/07/25

TITLE: MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW

MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SDA-44472-****
SHEET NO.: 7 OF 8

SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DUAL ROW PART NUMBERS WITH MATTE TIN PLATING
(DO NOT USE FOR NEW APPLICATIONS)

WITH PEGS				
PLATING:	1 (SEE NOTE 2)			
DRAINS:	WITH DRAIN HOLES			
PEGS:	WITH PEGS			
MAT'L:	94V-0 [NATURAL]			
PACKAGING:				
	ITEM NO.			CKTS
	44472-0283	O		2
	44472-0483	O		4
	44472-0683	O		6
	44472-0883			8
	44472-1083	O		10
	44472-1283	O		12
	44472-1483	O		14
	44472-1683	O		16
	44472-1883	O		18
	44472-2083			20
	44472-2283			22
	44472-2483	O		24

"O" = OBSOLETE

SEE SHEET 1
EC NO: UCP2012-1560 2012/01/05
DRWN:NNGUYEN 2012/01/05
CH'KD:JBELL 2012/02/02
APPR:FSMITH
DESCRIPTION
M
REV

QUALITY SYMBOLS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 1:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: GEP DATE: 1994/07/25
CHECKED BY: RJF DATE: 1994/07/25
APPROVED BY: RJF DATE: 1994/07/25

TITLE: MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW

MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SDA-44472-****
SHEET NO.: 8 OF 8
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

molex:

152660117 447641402 760475001 439151216 151660057 152670251 398800403 417920538 444280402 447691602 759001161 0190700155 190990009 430450225 152670269 190670071 0190690033 436803002 152670357 447642001 151670255 190690096 190730231 190990010 397730002 430451220 459705185 5046940301 0436400901 0436802002