# CV7371-000 ✔ ACTIVE

RAYCHEM

TE Internal #: CV7371-000

Right Angle, Size 222, Lipped, 25, 25, Adhesive Purchased Separately Adhesive Requirement, -75 – 150 °C [-103 – 302 °F], Heat Shrink Boots

View on TE.com >

Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Bulbous Heat Shrink Boots: Lipped, Right Angle



Body Orientation: **Right Angle**

Molded Part Shape Code: **222**

Lipped: **Yes**

Material Code: **25**

Material Systems Code: **25**

All Bulbous Heat Shrink Boots: Lipped, Right Angle (184)

## Features

### Configuration Features

| | |
|---|---|
| Lipped | Yes |
| Adhesive Requirement | Adhesive Purchased Separately |

### Body Features

| | |
|---|---|
| Primary Product Material | Fluid Resistant Modified Elastomer |
| Material Code | 25 |
| Material Systems Code | 25 |

### Housing Features

| | |
|---|---|
| Body Orientation | Right Angle |

### Dimensions

| | |
|---|---|
| Connector or Backshell Outside Diameter | 38 mm, 40 mm, 43 mm, 46 mm, 49 mm, 52 mm[1.5 in][1.57 in][1.7 in][1.81 in][1.93 in][2.05 in] |
| Compatible Cable Diameter (Max) | 18 mm, 20 mm, 22 mm, 24 mm, 26 mm, 28 mm, 30 mm[.71 in][.78 in][.86 in][.94 in][1.02 in][1.1 in][1.18 in] |
| Compatible Cable Diameter Range | 15.7 – 35 mm[.618 – 1.378 in] |

### Usage Conditions

| | |
|---|---|
| Operating Temperature Range | -75 – 150 °C[-103 – 302 °F] |

| | |
|---|---|
| Resistance Protection | Long-Term Fluid Exposure at High Temperatures |

### Other

| | |
|---|---|
| Molded Part Shape Code | 222 |

## Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241)<br>Candidate List Declared Against: JUNE 2024 (241)<br>Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # 657863-000
S1125-KIT-8

## Customers Also Bought



TE Part #806697-000
202A132-25-0



TE Part #5745967-8
25 RCPT SP/FMS INSRT




TE Part #1761028-4
D-Sub Receptacle Assembly: Right Angle, 1.27mm




TE Part #1445820-3
PLUG,11-5,LG INS,STD KEY




TE Part #1871731-1
DYNAMIC D1000 REC CONT 2L PRE TIN REEL



TE Part #224793-000
B-106-1601



TE Part #3-521057-2
ULTRAFAST 250 ASSY TAB 16-14 AWG TPBR



TE Part #640416-2
BLADE TAB 250 18-14AWG TPBR

## Documents

### Product Drawings

222K174-25L-0

English

### Datasheets & Catalog Pages

1654025_Sec4_-25

English

Raychem Molded Parts Visual Guide

English

### Product Specifications

RAYCHEM BRAND MOULDED COMPONENTS, LIGHT WEIGHT, FLAME RETARDED, SEMI-RIGID, HEAT SHRINKABLE, ELASTOMER (-25L)

English

# Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

## TE Connectivity:

T4133012081-000 U5254-000005-030PA SMV1W220KJT 175977-2 1897725-2 2098557-4 3631B101LL 170376-2 354022KFT 1-962915-1 2310537-1 3-1447221-5 ROX05SJ18R CPF0402B37K4E1 HSHC4508K2J SBCHE64R7K 2380312-2 282680-1 292206-2 917688-1 TE50BR39J 1393454-9 2-520263-2 2-521104-2 SBCHE154R7K 1903112-2 HT-CT-50M-1-OUT-0 MPT100C18RF 2005330-1 RH73H2A40MKTN