PRODUCT-DETAILS

Detailed information for: TY29M

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

Print...
Print to Pdf...

Data Sheet | Downloads

TY29M







General Information

Extended Product Type:	TY29M
Product ID:	7TAG009330R0012
EAN:	5414363063698
Catalog Description:	CABLE TIE 120LB 30IN NATURAL NYLON
Long Description:	High Performance Cable Tie, Natural Color Nylon 6.6, Length of 762mm (30 Inches) for Bundle Diameter up to 229mm (9 Inches), Width of 4.67mm (0.184 Inch), Tensile Strength Rating of 534 Newtons (120 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 85 Degrees Celsius (185 F), UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Bulk Pack
Lock Type:	Stainless Steel Barb

Categories

Products » Low Voltage Products and Systems » Installation Products » Wire Management and Connectivity » Cable Ties

Ordering

EAN:	5414363063698
Minimum Order Quantity:	500 piece
Customs Tariff Number:	3926909990

Dimensions

Product Net Weight:	10.796 g

Container Information

Package Level 1 Units:	500 piece
Package Level 1 Width:	158.75 mm

Downloaded from Arrow.com.

Package Level 1 Height:	869.952 mm
Package Level 1 Depth / Length:	120.65 mm
Package Level 1 EAN:	00786210824796
Package Level 2 Units:	500 piece
Package Level 2 Width:	185.42 mm
Package Level 2 Height:	152.4 mm
Package Level 2 Depth / Length:	815.34 mm
Package Level 2 EAN:	00786210830674

Additional Information

Brand / Label:	Ty-Rap
Color:	Natural
Material:	Nylon/Polyamide 6.6
Product Main Type:	PERFORMANCE CABLE TIES AND ACCESSORIES
Product Name:	NYLON CABLE TIES AND ACCESSORIES
Product Type:	Standard
Special Functions:	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards:	UL E49405
UPC:	786210830674

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	TY29M
Instructions and Manuals:	TY29M

Classifications

E-nummer:	1518033
ETIM 6:	EC000046 - Cable tie
UNSPSC:	39121703
WEEE Category:	Product Not in WEEE Scope

Contact information

What would you like to do?

I need more information

ABB Sales

Submit your inquiry

Country / region

Select Country/region

Name **Company**

E-Mail **Phone**

Your local ABB Sales Team

Please select country from the list

Downloaded from Arrow.com.

Your message

→ Privacy policy

Cancel

Send message

▲ Close

© Copyright 2018 ABB | Provider information/Impressum | Cookie and Privacy Policy

Downloaded from Arrow.com.

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

ABB:

2CCA880212R0001 ESB25-40N-03 MS132-1.0 OXP6X360 SH203-C25 WT115A 7TAG009520R0070 ESB25-22N-03 S202-B6 WT540 CR-S024VADC1CRS 1SL1204A00 AX09-30-01-80*220-230V 50Hz/230-240V60Hz ESB63-22N-06 LCN75 CP1-10G-11 ESB63-40N-05 SH203-C16 APTS020A0X3-SRZ ESB16-20N-06 ESB40-30N-07 ESB63-20N-01 LW205 SE201-C10 SU201M-K16 1SVR730700R2200 CR-M4SFB ESB25-13N-04 GSH201 AC-C16/0.03 CT-MKC.31