

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	07JUN2016	DW	CW
	A1	ECR-17-018159	13DEC2017	RL	CW
	A2	ECR-18-012258	01AUG2018	DW	CW
	B	ECR-20-016312	03JUN2021	BS	CW


TYPE 1
类型1


Single PG/M thread
单个 PG/M螺纹孔













TYPE 2
类型2

Two PG/M threads
两个 PG/M螺纹孔



NOTES:
1. TECHNICAL CHARACTERISTICS:
   HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
   SURFACE TREATMENT: SEE TABLE
   DEGREE OF PROTECTION: IP68 (MATED)


注释
1. 技术参数：
   壳体材料： 铝合金
   表面处理： 见表格
   防护等级： IP68 （配合）




All dimension is same as TYPE 1,except those defined in this TYPE
除了在本类型中定义的尺寸外，其他尺寸同类型1

TYPE 3
类型3

Three PG/M threads
三个 PG/M螺纹孔





All dimension is same as TYPE 1,except those defined in this TYPE
除了在本类型中定义的尺寸外，其他尺寸同类型1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

MATERIAL - -

FINISH - -

DWN DAVID WANG 07JUN2016
CHK CHRIS WANG 07JUN2016
APVD XIANG XU 07JUN2016
PRODUCT SPEC 108-137191
APPLICATION SPEC 114-137191
WEIGHT -

TE Connectivity

NAME H24BPR-TGHC-PG/M-EMC-C

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	-	C-T192224XXXXX09	

CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 2 | REV B

printed on 8 Jun 2021 09:27 (China Standard Time) from TE24667

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:

SEE SHEET 1

PART NUMBER 料号	DESCRIPTION 描述	PG/M THREAD-3 PG/M 螺纹3	PG/M THREAD-2 PG/M 螺纹2	PG/M THREAD-1 PG/M 螺纹1	TYPE 类型
TI922240320-009	H24BPR-TGHC-3M20-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY 3M20,BLACK H24BPR上壳,中部锁定,顶出3M20,黑色	M20	M20	M20	TYPE 3 类型3
TI922241221-009	H24BPR-TGHC-2PG21-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY 2PG21,SILVER WHITE H24BPR上壳,中部锁定,顶出2PG21,银白色	PG21	PG21	-	TYPE 2 类型2
TI922242150-009	H24BPR-TGHC- M50-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY M50,GREY H24BPR上壳,中部锁定,顶出M50,灰色	-	-	M50	TYPE 1 类型1
TI922241140-009	H24BPR-TGHC-M40-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY M40,SILVER WHITE H24BPR上壳,中部锁定,顶出M40,银白色	-	-	M40	
TI922241136-009	H24BPR-TGHC-PG36-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY PG36,SILVER WHITE H24BPR上壳,中部锁定,顶出PG36,银白色	-	-	PG36	
TI922241132-009	H24BPR-TGHC-M32-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY M32,SILVER WHITE H24BPR上壳,中部锁定,顶出M32,银白色	-	-	M32	
TI922241129-009	H24BPR-TGHC-PG29-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY PG29,SILVER WHITE H24BPR上壳,中部锁定,顶出PG29,银白色	-	-	PG29	
TI922241125-009	H24BPR-TGHC-M25-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY M25,SILVER WHITE H24BPR上壳,中部锁定,顶出M25,银白色	-	-	M25	
TI922241121-009	H24BPR-TGHC-PG21-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY PG21,SILVER WHITE H24BPR上壳,中部锁定,顶出PG21,银白色	-	-	PG21	
TI922240140-009	H24BPR-TGHC-M40-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY M40,BLACK H24BPR上壳,中部锁定,顶出M40,黑色	-	-	M40	
TI922240136-009	H24BPR-TGHC-PG36-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY PG36,BLACK H24BPR上壳,中部锁定,顶出PG36,黑色	-	-	PG36	
TI922240132-009	H24BPR-TGHC-M32-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY M32,BLACK H24BPR上壳,中部锁定,顶出PG32,黑色	-	-	M32	
TI922240129-009	H24BPR-TGHC-PG29-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY PG29,BLACK H24BPR上壳,中部锁定,顶出PG29,黑色	-	-	PG29	
TI922240125-009	H24BPR-TGHC-M25-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY M25,BLACK H24BPR上壳,中部锁定,顶出M25,黑色	-	-	M25	
TI922240121-009	H24BPR-TGHC-PG21-EMC-C H24BPR HOOD,CENTER LOCKING, TOP ENTRY PG21,BLACK H24BPR上壳,中部锁定,顶出PG21,黑色	-	-	PG21	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL - -

FINISH - -

DWN DAVID WANG 07JUN2016
CHK CHRIS WANG 07JUN2016
APVD XIANG XU 07JUN2016
PRODUCT SPEC 108-137191
APPLICATION SPEC 114-137191
WEIGHT -

TE Connectivity

NAME H24BPR-TGHC-PG/M-EMC-C

SIZE A1 | CAGE CODE - | DRAWING NO C-T192224XXXXX09 | RESTRICTED TO

CUSTOMER DRAWING | SCALE 1:1 | SHEET 2 OF 2 | REV B

printed on 8 Jun 2021 09:27 (China Standard Time) from TE24667

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

1-962915-1 141991-2 3-1393225-0 RH73H2A40MKTN U5254-000005-030PA 175977-2 2005330-1 2380312-2 2-292161-3 MPT100C18RF 1-794222-0 1743455-2 1969656-1 CPF0402B37K4E1 SBCHE154R7K 917696-1 CRGCQ2010J3K3 2377783-2 1903112-2 2310537-1 3631B101LL 650075-000 ROX05SJ18R SMW73R0JT 2834055-1 1393431-1 3430B2F51RTDF 936348-1 SBCHE64R7K TE50BR39J