1717268-1 ✔ ACTIVE


Positive Lock | Positive Lock 250

TE Internal #: 1717268-1

Insulation Sleeve, Flag, PVC, Blue, Bag, -40 – 105 °C [-40 – 221 °F], Positive Lock 250, Insulation Boots & Sleeves

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves







Insulation Boot & Sleeve Product Type: **Insulation Sleeve**

Terminal Orientation: **Flag**

Primary Product Material: **PVC**

Primary Product Color: **Blue**

Packaging Method: **Bag**

Features

Product Type Features

Insulation Boot & Sleeve Product Type	Insulation Sleeve

Configuration Features

Number of Positions	1

Body Features

Primary Product Material	PVC
Primary Product Color	Blue

Contact Features

Accepts Terminal Style	Receptacle
Terminal Orientation	Flag

Dimensions

Product Length	17.2 mm[.677 in]

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Industry Standards

UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: MCCP (.2% in Component Part) **Article Safe Usage Statements:** Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 175057-1
250 PL EX FLAG REC. 18-12AWG PTBR

Also in the Series | Positive Lock 250



Automotive Terminals(1)




Crimp Terminal Housings(190)



Insertion & Extraction Tools(3)



Insulation Boots & Sleeves(4)



Quick Disconnects(185)


Customers Also Bought




TE Part #342144-1
16-14 F.E.P/G RING TONGUE



TE Part #342143-1
16-14 F.E.P.G. R/TONGUE




TE Part #280513
AMPMODU II REC. HSG, DUAL ROW, 18 POS



TE Part #280509-1
BARRE MODU 2 2X 9



TE Part #1742718-1
250 FASTON,FLAG,REC.,16-12 AWG, TPBR



TE Part #1-176497-1
250 HSG. PL EX FLAG REC. NAT



TE Part #42510-1
250 FASTON REC 22-18 AWG BR



TE Part #7-1452659-1
MCON 1.2 LL REC SRC SN



TE Part #C21881-000
B-155-9004



TE Part #170022-2
RING TERMINAL 26-22 AWG 0.140 X .260 BR

Documents

Product Drawings

PL EX 250 INSULATED FLAG REC PVC V-0

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1717268-1_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1717268-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1717268-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

3430B2F51RTDF 936348-1 SBCHE154R7K SBCHE64R7K TE50BR39J 2-292161-3 U5254-000005-030PA 1-794222-0 1-962915-1 1743455-2 ROX05SJ18R 1969656-1 2005330-1 2310537-1 2834055-1 3-1393225-0 141991-2 1903112-2 2380312-2 3631B101LL 650075-000 CPF0402B37K4E1 CRGCQ2010J3K3 MPT100C18RF RH73H2A40MKTN 2377783-2 917696-1 SMW73R0JT 1393431-1 175977-2