2-967402-1 ✔ ACTIVE

TE Internal #: 2-967402-1


Housing for Male Terminals, Wire-to-Wire, 4 Position, 7 mm [.276 in] Centerline, Sealable, Gray, Wire & Cable, Power, Cable Mount (Free-Hanging)

View on TE.com >

Connectors > Automotive Connectors > Automotive Housings > Circular DIN Housings







Connector System: **Wire-to-Wire**

Number of Positions: **4**

Connector & Housing Type: **Housing for Male Terminals**

Centerline (Pitch): **7 mm [.276 in]**

Sealable: **Yes**

All Circular DIN Housings (64)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Circular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Male Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing

Configuration Features

Number of Positions	4
Number of Rows	2

Electrical Characteristics

Nominal Voltage Architecture	12 V, 24 V, 42 V, 48 V

Body Features

Cable Exit Angle	180°
Primary Product Color	Gray
Connector & Keying Code	2

Contact Features

Contact Size	2.5mm
Contact Type	Pin
Mating Pin Diameter	2.5 mm[.098 in]

Mechanical Attachment

Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT GF
Centerline (Pitch)	7 mm[.276 in]

Dimensions

Connector Height	28 mm[1.1 in]
Product Length	44 mm[1.73 in]
Row-to-Row Spacing	7 mm[.276 in]

Usage Conditions

Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Operation/Application

Circuit Application	Power

Industry Standards

Degree of Protection	IP69K
UL Flammability Rating	UL 94HB

Packaging Features

Packaging Quantity	450
Packaging Method	Box

Other

Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



TE Part # CAT-C4962-B128
Circular DIN Backshells



TE Part # 828922-1
2,5MM CAVITY PLUG FOR 5,4MM DI



TE Part # CAT-C4962-CH8172
Circular DIN Housings



TE Part # 965687-1
FIXING RING



TE Part # CAT-R7602-T273
ROUND CONNECTOR SYSTEM, PIN AND SOCKET



TE Part # 185792-1
180 DEG CAP FOR CORRUGTD TUBE



TE Part # 828920-1
EINZELADERDICHTUNG


Customers Also Bought



TE Part #2132781-5
05P EP-II HOUSING, NATURAL




TE Part #1703998-1
92POS,AMP MCP1.5K,SOCK HSG, ASSY,SEALED



TE Part #3-967325-1
Circular DIN Housings



TE Part #DT04-12PA-E004
REC, 12P, BLK, N, A



TE Part #929964-1
STIFTKONTAKT 2,5MMD



TE Part #5677592006
RNF-3000-12/4-0-STK



TE Part #828920-1
EINZELADERDICHTUNG



TE Part #2208925-1
2POS,PIN CE SIZE 16,HEADER ASSY

TE Part #448321-000
202K153-15/86-0

Documents

Product Drawings

2,5MM ST-GH ASSY 4P

English

CAD Files

Customer View Model

ENG_CVM_2-967402-1_D2.3d_igs.zip

English

Customer View Model

ENG_CVM_2-967402-1_D2.3d_stp.zip

English

Customer View Model

ENG_CVM_2-967402-1_D2.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

1393431-1 1743455-2 3-1393225-0 ROX05SJ18R 141991-2 1-962915-1 2834055-1 CRGCQ2010J3K3 SBCHE154R7K U5254-000005-030PA 2-292161-3 2005330-1 2310537-1 3430B2F51RTDF CPF0402B37K4E1 917696-1 1-794222-0 2380312-2 936348-1 MPT100C18RF SBCHE64R7K SMW73R0JT 1903112-2 3631B101LL 650075-000 RH73H2A40MKTN TE50BR39J 175977-2 1969656-1 2377783-2