W-Series, Accessories
WAP WDT 2.5/2

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

The versatile and extensive range of products - from 0.05 mm² to 300 mm² - means that you have diverse options for your applications at your disposal.
Hardened steel for mechanical strength and high-quality tinned copper for optimum conductivity. All materials comply with RoHS requirements and have been tested to current environment guidelines.

General ordering data

Order No.	1305260000
Type	WAP WDT 2.5/2
Version	W-Series, Accessories, End plate
GTIN (EAN)	4050118104493
Qty.	50 pc(s).

W-Series, Accessories
WAP WDT 2.5/2

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Length	83.75 mm	Width	1.5 mm
Height	48.25 mm	Net weight	4.57 g

Temperatures

Operating temperature		Storage temperature	
Continuous operating temp., min.	-50 °C	Continuous operating temp., max.	120 °C

Material data

Material	Wemid	Colour	Dark Beige
UL 94 flammability rating	V-0		

System specifications

Product family	W-Series, Accessories

Classifications

eClass 6.2	27-14-11-20	eClass 7.1	27-14-11-20

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

WeidmÃ¼ller:

1784180000 1950200000 8951460000 8690200000 024892 SAKS3 1121990000 1127570000 1786450000
0303620000 1608830000 1760040000 1818090500 1890260000 1804580000 1906650000 2535780000
9456650000 1031470000 1289470000 1622940000 1649300000 9037380000 2642470000 1124150000
1609820000 1779950000 1221360000 1607520000 1013450000 1608570000