
Linear Guides NH AN-BN

AN/BN sliders with light- (Z) or medium (H) preload are standard stock items with prompt delivery
AN: Normal length, high-square type slider with tap holes on top
BN: Long length, high-square type slider with tap holes on top



Model-No.

N1H250820LCNPCZ-20-20

Type

Linear Guide NH Series



Size	25
Slider type	AN
Number of sliders	1
Lubrication unit K1	No
Double seal	No
Metal protector	No
Material / Surface treatment	C
Length of rail	820
Distance to first hole center (G1)	20
Distance to last hole center (G2)	20
Accuracy	PC
Preload	Z
H	-
E	-
W2	-
W	-
B	-
J	-

Created: 2014-12-05 13:22:49

Address: NSK Europe Ltd
Harkortstrasse 15
D-40880 Ratingen
Germany

Phone: 49 2102 481 0
Fax: 49 2102 481 2881
Web: http://www.nskeurope.de
Email: info-de@nsk.com



L	-
L1	-
J1	-
K	-
T	-
M x l	-
Grease fitting	-
T1	-
N	-
Dynamic C (N)	-
Static C0 (N)	-
MRO (Nm)	-
MPO (Nm)	-
MYO (Nm)	-
Weight slider (kg)	-
W1	23
H1	22
F	60
dxDxh	7x11x9
M2xl2	M6 x 12
B3	11.5
G (recommended)	20
Weight rail (kg/m)	3.6

Address: NSK Europe Ltd
Harkortstrasse 15
D-40880 Ratingen
Germany

Phone: 49 2102 481 0
Fax: 49 2102 481 2881
Web: http://www.nskeurope.de
Email: info-de@nsk.com

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

NSK:

6206ZZC3 N 29412E N 6009DDUC3 N NP35EC MSF25 P1U150670LKN-PCT 50P-2 Pack 6009DDU N 6010DDU N 6800ZZ N KLNJ3/8 MFC40 N1H150160LCN-PCZ 51106 N 6306DDUC3 N H311 R LH120310ANK2K99PN1 6212 N 22215EAE4C3 N 6203ZZC3 N 6308DDUC3 N 6309DDU N 6801ZZ N BSF2575DDUHP2B R BE4L5 6005DDUC3 N SF25 R 6201VVCM 1125-25 625 6801DD N