



Dec.1.2018 Copyright 2018 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case that the application demands a high level of reliability, such as automotive, please contact a company representative for further information.


	COUNT	DISCRIPTION OF REVISIONS	B Y	CHKD	DATE		COUNT	DISCRIPTION OF REVISIONS	B Y	CHKD	DATE
△					. .	△					. .
△					. .	△					. .
△					. .	△					. .














RECOMMENDED METAL MASK THICKNESS : t=0.15

HRS DRAWING FOR REFERENCE

NOTE 1 LEAD CO-PLANARITY INCLUDING REINFORCED METAL FITTINGS SHALL BE 0.1 MAX.
2 TO BE DELIVERED WITH TAPE AND REEL PACKAGES.

NO.	MATERIAL	FINISH,REMARKS	NO.	MATERIAL	FINISH,REMARKS
			4	PHOSPHOR BRONZE	TIN PLATING 1um MIN,OVER NICKEL 1um MIN.
2	LCP	BLACK UL94V-0	3	PHOSPHOR BRONZE	(CONTACT AREA)GOLD PLATING,OVER NICKEL 1um MIN. (LEAD AREA)GOLD PLATING,OVER NICKEL 1um MIN. (OTHER) NICKEL PLATING 1um MIN.
1	LCP	BEIGE UL94V-0			


CODE NO. (OLD)	DRAWN	DESINGED	CHECKED	APPROVED	RELEASED
	D.H,CHO 17. 04 . 10	D.H,CHO 17. 04 . 10	D.H,CHO 17. 04 . 10	H.C,SONG 17. 04 . 10	ENG 17.08.31 DEPT

SCALE 4 : 1	DRAWING NO. EDC3-632316-80	PART NO. TF06L-**S-0.5SH(800)
UNITS mm	HRS HIROSE KOREA CO.,LTD.	CODE NO. CL ****-****-*-800 1/3


Dec.1.2018 Copyright 2018 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case that the application demands a high level of reliability, such as automotive, please contact a company representative for further information.


	COUNT	DISCRIPTION OF REVISIONS	B Y	CHKD	DATE		COUNT	DISCRIPTION OF REVISIONS	B Y	CHKD	DATE
△					. .	△					. .
△					. .	△					. .
△					. .	△					. .

DIRECTION OF PULLING OUT



REEL DIMENTION (FREE)





NOTE 1. 1 REEL CONTAINS 2,000 PCS.

HRS DRAWING FOR REFERENCE

NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS
2	PET	COVER TAPE	4	PS	REEL
1	PET	EMBOSS TAPE	3	CONNECTOR	CONNECTOR

CODE NO. (OLD)	DRAWN	DESINGED	CHECKED	APPROVED	RELEASED
	D.H,CHO 17. 04 . 10	D.H,CHO 17. 04 . 10	D.H,CHO 17. 04 . 10	H.C,SONG 17. 04 . 10	ENG 17.08.31 DEPT

SCALE 2 : 1	DRAWING NO. EDC3-632316-80	PART NO. TF06L-**S-0.5SH(800)
UNITS mm	HRS HIROSE KOREA CO.,LTD.	CODE NO. CL ****-****-*-800 2/3

Dec.1.2018 Copyright 2018 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case that the application demands a high level of reliability, such as automotive, please contact a company representative for further information.

	COUNT	DISCRIPTION OF REVISIONS	B Y	CHKD	DATE		COUNT	DISCRIPTION OF REVISIONS	B Y	CHKD	DATE
△					. .	△					. .
△					. .	△					. .
△					. .	△					. .

PART NUMBER	NUMBER OF CONTACTS	CONNECTOR, FPF/FFC, PCB, METAL MASK DIMENSION										PACKING DIMENSION			
		A	B	C	D	E	F	G	H	I	J	K	L	M	N
TF06L-50S-0.5SH(800)	50S	24.5	25.55	27.66	29.88	30.3	27	25.5	27.2	27.3	0.15	20.2	40.4	44	44.5
TF06L-60S-0.5SH(800)	60S	29.5	30.55	32.66	34.88	35.3	32	30.5	32.2	32.3	0.15	26.2	52.4	56	56.5
TF06L-68S-0.5SH(800)	68S	33.5	34.55	36.66	38.88	39.3	36	34.5	36.2	36.3	0.18	26.2	52.4	56	56.5
TF06L-80S-0.5SH(800)	80S	39.5	40.55	42.66	44.88	45.3	42	40.5	42.2	42.3	0.18	26.2	52.4	56	56.5

HRS DRAWING FOR REFERENCE

NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS

CODE NO. (OLD)	DRAWN	DESINGED	CHECKED	APPROVED	RELEASED
	D.H,CHO 17. 04 . 10	D.H,CHO 17. 04 . 10	D.H,CHO 17. 04 . 10	H.C,SONG 17. 04 . 10	ENG 17.08.31 DEPT

SCALE N : S	DRAWING NO. EDC3-632316-80	PART NO. TF06L-**S-0.5SH(800)
UNITS mm	HRS HIROSE KOREA CO.,LTD.	CODE NO. CL ****-****-*-800 3/3

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

Hirose Electric:

DF17(3.0)-40DS-0.5V(57) DF57AH-5S-1.2C ZE064W-8DP-HU/R(A) DF65-4P-1.7V(21) ZH05-20DP-HU(B) DF52-4P-0.8C FH35C-19S-0.3SHW(50) FX18-80S-0.8SH RM15TP-2PA(81) BM29B0.6-4DS/2-0.35V(51) DF19A-3032SCFA(41) DF36A-25P-SHL DF40C-50DP-0.4V(51) DF62C-4S-2.2C FH72-21S-0.3SHW GT8E-6S-HU HDE-CTH(10) RM12BRD-2PH(81) DF59M-2224PCF FX18-60S-0.8SH FX8-120S-SV(22) RM15TRH-10PH(81) ZE05-24DP-2H ZE05H-12DP-2H DF22A-1416SCFA DF33C-4S-3.3C FH41-30S-0.5SH(05) FH41-50S-0.5SH(28) ZE05H-4P-2V(A) DF11-16DP-2DSA(24)