178004-1 ✔ ACTIVE

FASTIN-FASTON | FASTIN-FASTON 250

TE Internal #: 178004-1

Tab, Tab Housing, 4 Position, Straight, Natural, Nylon, Contact Mating Retention, Mating Alignment, FASTIN-FASTON 250, Crimp Terminal Housings

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings







Terminal Type: **Tab**

Connector & Housing Type: **Tab Housing**

Number of Positions: **4**

Terminal Orientation: **Straight**

Primary Product Color: **Natural**

Features

Product Type Features

Sealable	No
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Tab Housing

Configuration Features

Number of Positions	4

Body Features

Primary Product Color	Natural

Contact Features

Terminal Type	Tab
Terminal Orientation	Straight
Contact Mating Retention	With

Mechanical Attachment

Mating Retention Type	Latch

Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	Nylon
Centerline (Pitch)	5.5 mm[.216 in]

Dimensions

Product Length	25 mm[.98 in]

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Packaging Features

Packaging Quantity	100

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



TE Part # 178004-2
FF 250 PLUG HSG 4P NYLON BLACK



TE Part # 171260-2
FF 250 TAB HSG 12P NYLON BLACK



TE Part # 171260-3
FF 250 TAB HSG 12P NYLON BLACK



TE Part # 176992-1
250 DBL LOCK CAP IKEI 2P NAT



TE Part # 178001-1
250 DBL LOCK CAP IKEI 3P NAT



TE Part # 176986-1
FF 250 PLUG HSG 1P NYLON NAT

Also in the Series | FASTIN-FASTON 250




Crimp Terminal Housings(208)



Insertion & Extraction Tools(2)



PCB Terminals(2)



Quick Disconnects(251)

Customers Also Bought



TE Part #1123340-1
TH/.025 CONNECTOR SYSTEM, HOUSING




TE Part #6-176143-6
ECONOSEAL, CONNECTOR HOUSING



TE Part #2040009-1
0.50/1.0 SEALED WIRE COVER ASSY 60POS



TE Part #2260813-2
0.5/2.8 SEALED PLUG ASSY 62POS



TE Part #176986-1
FF 250 PLUG HSG 1P NYLON NAT

TE Part #2287714-1
0.50/2.8 SEALED COVER ASSY 62P TYPE-II

Documents

Product Drawings

FF 250 PLUG HSG 4P NYLON NAT

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_178004-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_178004-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_178004-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

White Paper: Nylon Discoloration

English

Product Specifications

Application Specification

English

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

936348-1 TE50BR39J 1743455-2 1903112-2 CPF0402B37K4E1 MPT100C18RF 2005330-1 3-1393225-0 ROX05SJ18R SBCHE154R7K 141991-2 175977-2 2310537-1 3631B101LL 917696-1 RH73H2A40MKTN U5254-000005-030PA 1-962915-1 1969656-1 2-292161-3 3430B2F51RTDF 650075-000 2377783-2 SBCHE64R7K SMW73R0JT 1393431-1 2834055-1 CRGCQ2010J3K3 1-794222-0 2380312-2