
Tyco Electronics

Specification Control Drawing


Raychem

a) Part as supplied.

202K1**-*-G14



b) Part after unrestricted recovery.



DIMENSIONS in millimetres (in inches, for reference)

Part No.	H Min a	H Max b	J Min a	J Max b	P ±10% b	R ±10% b	JO ±10% b	HW ±20% b	JW ±20% b
202K121-*-G14	24 (0.94)	10.4 (0.41)	24 (0.94)	5.6 (0.22)	35 (1.38)	18 (0.71)	8.5 (0.33)	1.6 (0.06)	0.5 (0.02)
202K132-*-G14	30 (1.18)	14.2 (0.56)	30 (1.18)	5.9 (0.23)	52 (2.05)	29 (1.14)	11.5 (0.45)	1.8 (0.07)	1.0 (0.04)
202K142-*-G14	31 (1.22)	18.0 (0.71)	31 (1.22)	7.1 (0.28)	64 (2.52)	32 (1.26)	17.0 (0.67)	1.8 (0.07)	1.0 (0.04)
202K153-*-G14	36 (1.42)	22.4 (0.88)	36 (1.42)	8.4 (0.33)	77 (3.03)	39 (1.54)	19.5 (0.77)	2.0 (0.08)	1.0 (0.04)
202K163-*-G14	43 (1.69)	28.2 (1.11)	43 (1.69)	9.9 (0.39)	96 (3.78)	58 (2.28)	21.0 (0.83)	2.2 (0.09)	1.2 (0.05)
202K174-*-G14	60 (2.36)	35.1 (1.38)	60 (2.36)	15.7 (0.62)	127 (5.00)	69 (2.72)	39.0 (1.54)	3.2 (0.13)	1.5 (0.06)
202K185-*-G14	66 (2.60)	44.5 (1.75)	66 (2.60)	16.8 (0.66)	167 # (6.57)	87 # (3.43)	51.5 (2.03)	3.8 (0.15)	2.0 (0.08)

This variant has end lip removed and has no internal lips
Modified dimensions are shown thus:- #

Copyright (!)
The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn A.LILLEY. Checked Issue 4 Date July 2008

Approval
Design MKTG. Tech.


Conforms to ISO Recommendations
3rd Angle Projection
Not to Scale

Downloaded from Arrow.com.

Raychem	Specification Control Drawing	Part Number 202K1**-*-G14 Issue 4

Iss.	Date	E.C.R. No.	Details of Change
2	September 2007	CR06-HM-012	Imperial dimensions added
3	February 2008	CR08-HM-004	Consolidate all sizes on one SCD, internal lips removed.
4	July 2008	CR08-HM-014	P & R dimension changed to reflect 3mm lip reduction

Ordering Information



COMPATIBILITY CHART

Material Dash Number	Material Description	SPEC Number	Coating Slash Number
-3	POLYOLEFIN, SEMI-RIGID	RT-301, RK-6703	/42 ,/86, /180
-4	POLYOLEFIN, FLEXIBLE	RT-1304 RT-1050	/42 ,/86, /180
-6	SILICON	RT-602, RK-6706	N/A
-25	ELASTOMER, FLUID RESISTANT	RT-1325, RK-6713	/42, /86, /225
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42

NOTES

(1) If eyelet clip (000W212) is required with part then add CS-1858 to description (i.e. 202K132-3-G14-CS-1858-0).

(2) As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

Tyco Electronics UK Ltd.
Faraday Road,
Swindon, Wiltshire, SN3 5HH
England
Telephone: (01793) 528171 Fax: 572516

Tyco Electronics Corporation
300, Constitution Drive,
Menlo Park, CA 94025
USA
Telephone (650) 361-3860 Fax: (650) 361-5579

Cage Code K1010

Cage Code 06090

Downloaded from Arrow.com.

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

TE Connectivity:

170376-2 2-520263-2 U5254-000005-030PA HSHC4508K2J SBCHE154R7K 1393454-9 2380312-2 292206-2 3-1447221-5 354022KFT RH73H2A40MKTN 175977-2 2005330-1 3631B101LL MPT100C18RF SMV1W220KJT T4133012081-000 1-962915-1 1897725-2 2-521104-2 2098557-4 CPF0402B37K4E1 ROX05SJ18R SBCHE64R7K 2310537-1 HT-CT-50M-1-OUT-0 1903112-2 282680-1 917688-1 TE50BR39J