



REV.	ECN NO.	DATE	SIGN	DESCRIPTION
A	Initial release	2020/08/26	Ruru	Old Item No. UC-31PFFP-QS8001
B	C220027	2022/01/11	Scott	△B XI.
C	C220621	2022/04/20	Scott	△C XI.




比例 1:1








Detail A(2:1)



Measure 量測位置:
End of this PIN center.
端子尾端中心點



Note:
* QC Important Dimension
* Waterproof Rate: IP68(Unmated)
  (Under water 1M, 24H)
* Connector: USB Type C Female
* Housing: Thermoplastic, UL94 V-0,FI, Black
* Wafer: 24Pin Header, Dual Row, Pitch=1.27mm
* O-Ring: Rubber, Gray
* Panel Thickness max: 4.0mm
* All Parts Are RoHS Compliant

UNIT:mm

TOLERANCE
.X ±0.25
.XX ±0.1
.XXX ±0.05
ANGLES ±1°

TITLE: USB, C TYPE, FRONT FASTENED F, F, PCB S, QUICK

SCALE 2:1 | SIZE A4 | SHEET 1 OF 2
REV. C | WC-REV. A.28 | QC: Inspection item


Amphenol LTW
安費諾亮泰企業股份有限公司

ITEM NO	DRAWN BY	DATE
UC-00PFFP-QS8001	Ruru	2020-08-26
DWG NO	CHECKED BY	DATE
UC-00PFFP-QS8001	Rita	2020-08-26
CUSTOMER	APPROVED BY	DATE
ALTW	Max	2020-08-26


WI0814-03-RW01A2

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

Recommended Panel Cut-Out




Installation.




Step 1.Insert the connector into panel-cut by slanted angle.
Step 2.The connector incline downward and engage to screw post.
Step 3.Fastening the screws to fix the connector.

第一步：連接器以傾斜角度插入內孔
第二步：將連接器斜往下壓，與螺絲軸孔卡合
第三步：鎖上螺絲固定



Finished 完成

Packing Instructions.



UNIT:mm	TITLE: USB, C TYPE, FRONT FASTENED F, F, PCB S, QUICK			Amphenol LTW 安費諾亮泰企業股份有限公司	ITEM NO: UC-00PFFP-QS8001	DRAWN BY: Ruru	DATE: 2020-08-26
TOLERANCE .X ±0.25 .XX ±0.1 .XXX ±0.05 ANGLES ±1°	SCALE: 2:1	SIZE: A4	SHEET: 2 OF 2		DWG NO: UC-00PFFP-QS8001	CHECKED BY: Rita	DATE: 2020-08-26
	REV: C	WC-REV: A.28	QC: Inspection item		CUSTOMER: ALTW	APPROVED BY: Max	DATE: 2020-08-26

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

Unikeyic Electronics

Global Electronic Components Distributor

Click to view pricing, inventory, delivery, and lifecycle information:

AMPHENOL LTW:

BSU-10PMMS-SC7001 DC-05BMMA-QL8MPP DT-HCM-G3BMM-RLA60 M12A04FL-12AFR-SDA05
PWCU-04RMFS-LC7002 RCP5SM-SPG06M-TL7B01 RCP5UM-UPG06M-TL7A01 DC-05BMFB-QL8APP
M12A-04PFFS-SF8002 ACC-03AFFM-LL7A01 DD-18BMFA-LL7001 FLBB-04FGMS-GCP-207
PWC-03BFFA-LL7002 8-03PMMS-SH7002 CC-03BFMB-QL8APP DT-HCM-G3BFF-RLA60
FLKD-07EGFS-GCP-001 M12A-03PMMS-SF8001 MSAP-12BMMA-SL7001 Q8DU-05PMMS-QF8001
AD-03BMMA-LL7001 ASU-08PMMS-QC8A15 M12A-17BMMM-PL8D04 MSBP05MR-SBPMR-SB001
MSBS-05PFFR-SF7003 LAD-05BFFM-QR8D01 8-04PMMS-SH7002 BD-03BFFA-QL8MP0
M12A04FR-12AFR-SD001 PWM-02BFMB-TL7001